



ALPHA 400/630 DIN, монтажный комплект для монтажных приспособлений  
расстояние между рядами 150 мм, В = 450 Ш = 250

версия	
торговая марка изделия	ALPHA
наименование изделия	Монтажный комплект последовательно встраиваемых устройств
исполнение изделия	межрядное расстояние 150 мм
исполнение защитной крышки	с вырезом
компонент изделия	
• заземляющая шина	Нет
• пластмассовая защитная крышка	Да
• монтажная плата	Нет
число DIN-реек	3
Механическая конструкция	
высота	450 mm
ширина	250 mm
число монтажных единиц в ширину на каждую DIN-рейку	12
масса нетто	1 039 g

General Product Approval	Declaration of Conformity
--------------------------	---------------------------

[Confirmation](#)



[Miscellaneous](#)



Declaration of Conformity	Test Certificates	other	Environment
---------------------------	-------------------	-------	-------------



[Type Test Certificates/Test Report](#)

[Special Test Certificate](#)

[Confirmation](#)

[Miscellaneous](#)

[Environmental Conformations](#)

## Дополнительная информация

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8GK4351-3KK12>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8GK4351-3KK12>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK4351-3KK12](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4351-3KK12)

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



последнее изменение:

19.08.2022 

