

BD01-GK2X/CEE163CEE165 TAP-OFF UNIT




Рисунок аналогичен

| версия | |
|---|---|
| наименование изделия | приборная коробка для системы шинного распределителя BD01 |
| рабочее напряжение при переменном токе | |
| • при 50 Гц расчетное значение макс. | 400 V |
| • при 60 Гц расчетное значение макс. | 400 V |
| класс защиты | |
| степень защиты IP | IP54 |
| рассеивание | |
| мощность потерь [ВА] макс. | 16 VA |
| Главная цепь | |
| рабочий ток | |
| • для электрической цепи 1 при переменном токе при 50 Гц расчетное значение макс. | 16 A |
| Отводные точки | |
| исполнение отводного блока | штепсельная розетка |
| типоразмер отводного блока | 2 |
| Механическая конструкция | |
| высота | 176 mm |
| ширина | 160 mm |
| длина | 175 mm |
| число монтажных единиц в ширину | 8 |
| компонент изделия фиксатор | Да |
| Дополнительная информация | |

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=BVP:034290>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/BVP:034290>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=BVP:034290

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

