

ALPHA 160 DIN, монтажный комплект для модульные монтажные приспособления, расстояние между рядами 150 мм, В = 150 Ш = 500



версия	
торговая марка изделия	ALPHA 160
наименование изделия	Монтажный комплект последовательно встраиваемых устройств
исполнение изделия	межрядное расстояние 150 мм
исполнение защитной крышки	с вырезом
компонент изделия	
• заземляющая шина	Нет
• пластмассовая защитная крышка	Да
• монтажная плата	Нет
число DIN-реек	2
Механическая конструкция	
высота	150 mm
ширина	500 mm
число монтажных единиц в ширину на каждую DIN-рейку	12
масса нетто	845 g

General Product Approval

Declaration of Conformity

[Confirmation](#)



[Miscellaneous](#)



Test Certificates

other

Environment

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

[Special Test Certificate](#)

[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mifb=8GK4351-1KK21>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8GK4351-1KK21>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4351-1KK21

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



последнее изменение:

19.08.2022 

