

сборная шина, 63 А, 3-пол., шаг 15 мм вилочный вариант для 2 устройств



версия		
торговая марка изделия	SENTRON	
наименование изделия	сборная шина	
исполнение изделия	63A TE 15 мм 2X 3P	
исполнение сборной шины	пластинчатая	
Общие технические данные		
обработка поверхности луженый	Нет	
Главная цель		
рабочий ток расчетное значение	63 A	
Подробнее		
характеристика изделия гибкий	Нет	
Механическая конструкция		
длина	86 mm	
масса нетто	36,35 g	
материал шинопровода	SF-Cu 58 F 25	
General Product Approval		other

[Confirmation](#)



[Miscellaneous](#)



[Miscellaneous](#)

[Confirmation](#)

Environment

[Environmental Con-
firmations](#)


Дополнительная информация

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.
Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке
[Информация об упаковке](#)
Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=5ST2601>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/ru/ps/5ST2601>



последнее изменение:

24.06.2022

