



ALPHA 160/400 DIN, быстро-монтажный комплект для установки встраиваемых устройств с межрядным расстоянием 150 мм, В = 750 Ш = 250

| версия                                              |                                                                   |
|-----------------------------------------------------|-------------------------------------------------------------------|
| торговая марка изделия                              | ALPHA 160/400                                                     |
| наименование изделия                                | Комплект для быстрого монтажа устройств последовательного монтажа |
| исполнение изделия                                  | межрядное расстояние 150 мм, без шины N/PE                        |
| исполнение защитной крышки                          | с вырезом                                                         |
| компонент изделия                                   |                                                                   |
| • заземляющая шина                                  | Нет                                                               |
| • пластмассовая защитная крышка                     | Да                                                                |
| • монтажная плата                                   | Нет                                                               |
| число DIN-реек                                      | 5                                                                 |
| Механическая конструкция                            |                                                                   |
| высота                                              | 750 mm                                                            |
| ширина                                              | 250 mm                                                            |
| глубина                                             | 210 mm                                                            |
| число монтажных единиц в ширину на каждую DIN-рейку | 12                                                                |
| масса нетто                                         | 2 489 g                                                           |
| General Product Approval                            |                                                                   |
| Declaration of Conformity                           |                                                                   |

[Confirmation](#)



[Miscellaneous](#)



| Test Certificates                        |                               | other                                              | Environment                  |                               |                                             |
|------------------------------------------|-------------------------------|----------------------------------------------------|------------------------------|-------------------------------|---------------------------------------------|
| <a href="#">Special Test Certificate</a> | <a href="#">Miscellaneous</a> | <a href="#">Type Test Certificates/Test Report</a> | <a href="#">Confirmation</a> | <a href="#">Miscellaneous</a> | <a href="#">Environmental Confirmations</a> |

### Дополнительная информация

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8GK4051-5KK11>

[Service&Support \(Manuals, Certificates, Characteristics, FAQs,...\)](#)

<https://support.industry.siemens.com/cs/ww/ru/ps/8GK4051-5KK11>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK4051-5KK11](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4051-5KK11)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



последнее изменение:

19.08.2022 

