



ALPHA 400 DIN, быстро- комплект для сборки встраиваемых устройств с межрядным расстоянием 150 мм, с продольными укосинами, В = 1200 Ш = 250

версия	
торговая марка изделия	ALPHA
наименование изделия	Комплект для быстрого монтажа устройств последовательного монтажа
исполнение изделия	межрядное расстояние 150 мм, без шины N/PE
исполнение защитной крышки	с вырезом
компонент изделия	
• заземляющая шина	Нет
• пластмассовая защитная крышка	Да
• монтажная плата	Нет
число DIN-реек	8
Механическая конструкция	
высота	1 200 mm
ширина	250 mm
глубина	210 mm
число монтажных единиц в ширину на каждую DIN-рейку	12
масса нетто	7 080 g
General Product Approval	
Declaration of Con- formity	

[Confirmation](#)



[Miscellaneous](#)



Declaration of Con- formity	Test Certificates	other	Environment
--------------------------------	-------------------	-------	-------------



EG-Konf.

[Type Test Certifi-
cates/Test Report](#)

[Special Test Certifi-
cate](#)

[Confirmation](#)

[Miscellaneous](#)

[Environmental Con-
firmations](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8GK4101-8KK12>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8GK4101-8KK12>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4101-8KK12

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



последнее изменение:

19.08.2022 

