



SIVACON S4 держатель периферийных распределительных шин бесступенчатый, Ш: 200 мм, 1 комплект = 3 шт.

версия	
торговая марка изделия	SIVACON
наименование изделия	держатель секционных сборных шин, без секционирования
исполнение изделия	монтажная ширина 200
Общие технические данные	
число полюсов	4
Главная цель	
рабочий ток расчетное значение макс.	2 810 A
Механическая конструкция	
высота	155 mm
ширина	340 mm
глубина	30 mm
расстояние между центрами шин	80 mm
масса нетто	5 000 g
General Product Approval	
Declaration of Conformity	

[Confirmation](#)



[Miscellaneous](#)



Declaration of Conformity	Marine / Shipping	other	Environment
---------------------------	-------------------	-------	-------------



[Miscellaneous](#)



[Miscellaneous](#)

[Confirmation](#)

[Environmental Confirmations](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8PQ4000-0BA77>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8PQ4000-0BA77>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=8PQ4000-0BA77

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

последнее изменение:

16.12.2022 

