



синхронный таймер недельный, 1 П 230 В / 50 Гц 3 мод

версия	
торговая марка изделия	SENTRON
исполнение изделия	Неделя
исполнение функции коммутации	переключающий контакт
Общие технические данные	
принцип действия	
<ul style="list-style-type: none"> • синхронно с сетью • кварцевые 	<p>Да</p> <p>Нет</p>
мин. интервал коммутации канала 1	240 min
напряжение питания	
напряжение питания исходное значение	230 V
напряжение питания конечное значение	230 V
тип напряжения питания	перем. ток
частота напряжения питания	
<ul style="list-style-type: none"> • мин. • макс. 	<p>50 Hz</p> <p>50 Hz</p>
класс защиты	
степень защиты IP	IP20
Коммутационная способность	
коммутационная способность по току при переменном токе при 250 В ном. значение	16 A
функция продукта	
функция изделия	
<ul style="list-style-type: none"> • 60-минутный план-график • автоматический переход летнее/ зимнее время • прямое управление • годовой план-график • предварительный выбор режима работы • 24-часовой план-график • недельный план-график 	<p>Нет</p> <p>Нет</p> <p>Да</p> <p>Нет</p> <p>Да</p> <p>Нет</p> <p>Да</p>
число	
число каналов	1
Механическая конструкция	
высота	83 mm
ширина	53 mm
глубина	64 mm
число монтажных единиц в ширину	3
вид креплений	DIN-рейка
масса нетто	153 g
General Product Approval	
Declaration of Conformity	
other	



other

Environment

[Miscellaneous](#)
[Environmental Con-
firmations](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=7LF5300-6>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/7LF5300-6>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7LF5300-6

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



