SIEMENS

Лист тех. данных 5TE8102

контрольный выключатель 20 A 2 НО 1 лампа 230 В

версия	
торговая марка изделия	SENTRON
наименование изделия	контрольный выключатель
исполнение изделия	2 НО
вид источника света	прочее
исполнение цоколя для источника света	прочее
исполнение функции коммутации	Выключатель с контрольной лампочкой
Общие технические данные	
число полюсов	1
устойчивость к току короткого замыкания	10 kA
тип напряжения рабочего напряжения	Переменный ток
напряжение питания	
рабочее напряжение расчетное значение	400 V
диапазон значений рабочей частоты	50/60 Гц
класс защиты	
степень защиты IP	прочее
Коммутационная способность	
коммутационная способность по току расчетное значение	0,06 kA
рассеивание	
мощность потерь \[Вт] при расчетном значении тока при переменном токе в теплом рабочем состоянии на каждый полюс	0,7 W
Главная цепь	
рабочий ток расчетное значение	20 A
появление	
цвет линзы	белый
Подробнее	
компонент изделия сигнальная лампа	Да
число замыкающих контактов	2
функция продукта	
функция изделия принудительное открытие (по DIN VDE 0113)	Нет
поперечное сечение подключаемого провода для гибкого кабеля с заделкой концов кабеля	
● мин.	1 mm²
● макс.	6 mm²
поперечное сечение подключаемого провода при жестком проводе	
● мин.	1 mm²
● макс.	6 mm²
начальный пусковой крутящий момент при винтовом зажиме	

© Copyright Siemens

● мин.	0,8 N·m
● макс.	1 N·m

Механическая конструкция	
высота	90 mm
глубина	18 mm
монтажная глубина	70 mm
число монтажных единиц в ширину	1
масса нетто	78 g
окружающая температура при эксплуатации	
● мин.	-5 °C
● макс.	40 °C
окружающая температура при хранении мин.	-25 °C

General Product Approval

Confirmation

Declaration of Conformity

Test Certificates		other		Environment
Miscellaneous	Type Test Certific-ates/Test Report	Miscellaneous	Confirmation	Environmental Con-firmations

Дополнительная информация

Siemens has decided to exit the Russian market (see here).
https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.
Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке
Информация об упаковке

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=5TE8102

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/ru/ps/5TE8102

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE8102

CAx-Online-Generator
http://www.siemens.com/cax

Tender specifications
http://www.siemens.com/specifications

© Copyright Siemens



последнее изменение: 19.08.2022

© Copyright Siemens

© Copyright Siemens