



кварцевый таймер суточный, 1 НО, 230 В / 50-60 Гц 1ТЕ

версия	
торговая марка изделия	SENTRON
исполнение изделия	День
исполнение функции коммутации	замыкающий контакт
Общие технические данные	
принцип действия	
• синхронно с сетью	Нет
• кварцевые	Да
точность хода за день	2,5 s
мин. интервал коммутации канала 1	30 min
напряжение питания	
напряжение питания исходное значение	230 V
напряжение питания конечное значение	230 V
тип напряжения питания	перем. ток
частота напряжения питания	
• мин.	50 Hz
• макс.	50 Hz
класс защиты	
степень защиты IP	IP20
Коммутационная способность	
коммутационная способность по току при переменном токе при 250 В ном. значение	16 A
функция продукта	
функция изделия	
• 60-минутный план-график	Нет
• автоматический переход летнее/ зимнее время	Нет
• прямое управление	Да
• годовой план-график	Нет
• предварительный выбор режима работы	Да
• 24-часовой план-график	Да
• недельный план-график	Нет
число	
число каналов	1
Механическая конструкция	
высота	83 mm
ширина	17 mm
глубина	64 mm
число монтажных единиц в ширину	1
вид креплений	DIN-рейка
масса нетто	88 g

[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

[Dangerous Goods Information](#)

[Environmental Confirmations](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=7LF5301-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/7LF5301-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7LF5301-1

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



