

штырьковая сборная шина 1-фазн.+HS, длина 1016 мм с защитой от прикосновений, 18 мм² без концевых колпачков, согласно UL 508



версия	
торговая марка изделия	SENTRON
наименование изделия	штырьковая сборная шина
исполнение изделия	18 мм ² 1Ф+HS UL508
Общие технические данные	
число фаз	1
поперечное сечение	18 мм ²
Подробнее	
характеристика изделия электрически изолированный	Да
связи	
исполнение электрического соединения	штырь
Механическая конструкция	
ширина	15 mm
длина	1 009 mm
масса нетто	256,34 g
General Product Approval	
Declaration of Conformity	

[Confirmation](#)



[Miscellaneous](#)



other	Environment
Confirmation	Environmental Con- firmations
Miscellaneous	

Дополнительная информация

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=5ST3703-0HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/5ST3703-0HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=5ST3703-0HG

CAX-Online-Generator



<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



I202_02123



последнее изменение:

25.06.2022

