



система сборных шин расстояние между центрами шин 60 мм шинный адаптер, ширина: 108 мм толщина шины: 5,10 мм + профиль ТТ для 3NP5060

версия	
торговая марка изделия	SENTRON
наименование изделия	Адаптер устройства
исполнение изделия	Принадлежности
Механическая конструкция	
ширина адаптера	108 mm
толщина шинопровода	
• мин.	5 mm
• макс.	10 mm
расстояние между центрами шин	60 mm
масса нетто	529 g
General Product Approval	
Declaration of Conformity	
Test Certificates	

[Confirmation](#)



EG-Konf.



[Miscellaneous](#)

Test Certificates	Marine / Shipping	other
-------------------	-------------------	-------

[Special Test Certificate](#)



ABS



PRS



RINA

[Confirmation](#)

[Miscellaneous](#)

Environment

[Environmental Confirmations](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mfb=8US1291-4SB00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8US1291-4SB00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=8US1291-4SB00

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



последнее изменение:

22.07.2022 

