

штырьковая сборная шина с защитой от прикосновений, 10 мм² 2-фазн.+HS, длина 1016 мм разрезная, без концевых колпачков



версия	
торговая марка изделия	SENTRON
наименование изделия	штырьковая сборная шина
исполнение изделия	10 мм ² 2Ф+HS L1016 мм
Общие технические данные	
число фаз	2
поперечное сечение	10 мм ²
Главная цель	
рабочий ток расчетное значение	63 A
Подробнее	
характеристика изделия электрически изолированный	Да
связи	
исполнение электрического соединения	штырь
Механическая конструкция	
ширина	14,5 mm
длина	1 016 mm
масса нетто	340,75 g
General Product Approval	
Declaration of Conformity	
other	

[Confirmation](#)

[Miscellaneous](#)



[Confirmation](#)

other

Environment

[Miscellaneous](#)

[Environmental Con-
firmations](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mfb=5ST3737>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/5ST3737>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=5ST3737

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



последнее изменение:

25.06.2022 

