

крышка для клеммы-разъединителя с ножевыми контактами с пружинными клеммами, 4 точки подключения, сечение: 2,5 мм², ширина: 2,2 мм, цвет: серый



версия		
торговая марка изделия	ALPHA	
наименование изделия	Наборные клеммы ALPHA FIX	
исполнение изделия	крышка	
класс защиты		
класс пожаростойкости согласно UL 94	V0	
появление		
цвет	серый	
принадлежности		
механические принадлежности торцовая пластина	Да	
механические принадлежности промежуточная панель	Нет	
Механическая конструкция		
масса нетто	3 g	
толщина материала	2,2 mm	
General Product Approval	Declaration of Conformity	other

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8WH9000-5GA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8WH9000-5GA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH9000-5GA00

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

