


ALPHA 400/630 DIN, монтажный комплект F: монтажные приспособления  
расстояние между рядами 150 мм, В = 300 Ш = 500



версия	
торговая марка изделия	ALPHA
наименование изделия	Монтажный комплект последовательно встраиваемых устройств
исполнение изделия	межрядное расстояние 150 мм
исполнение защитной крышки	с вырезом
компонент изделия	
<ul style="list-style-type: none"> <li>• заземляющая шина</li> <li>• пластмассовая защитная крышка</li> <li>• монтажная плата</li> </ul>	<p>Нет</p> <p>Да</p> <p>Нет</p>
число DIN-реек	4

Механическая конструкция	
высота	300 mm
ширина	500 mm
число монтажных единиц в ширину на каждую DIN-рейку	12
масса нетто	1 537 g

General Product Approval	Declaration of Conformity
--------------------------	---------------------------

[Confirmation](#)



[Miscellaneous](#)



Declaration of Conformity	Test Certificates	other	Environment
---------------------------	-------------------	-------	-------------



[Special Test Certificate](#)

[Type Test Certificates/Test Report](#)

[Confirmation](#)

[Miscellaneous](#)

[Environmental Conformations](#)

### Дополнительная информация

Siemens has decided to exit the Russian market (see here).  
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8GK4351-2KK22>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8GK4351-2KK22>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK4351-2KK22](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4351-2KK22)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



---

последнее изменение:

19.08.2022 

