

SIVACON S4, панель-заглушка монтажные приспособления 1x35 мод, В: 150 мм, Ш: 800 мм



версия		
торговая марка изделия	SIVACON S4	
наименование изделия	панель-заглушка для устройств, монтируемых на DIN-рейку	
исполнение изделия	1 x 35 мод.	
класс защиты		
степень защиты IP	IP30	
пригодность к использованию для наружного использования	Нет	
появление		
цвет	светло-серый	
характеристика изделия встраиваемая приточная/ вытяжная вентиляция	Нет	
Механическая конструкция		
высота	150 mm	
ширина	800 mm	
глубина	10 mm	
место монтажа	лицевая рамка	
масса нетто	833 g	
материал	стальной лист	
General Product Approval		Declaration of Conformity

[Confirmation](#)



[Miscellaneous](#)



Declaration of Conformity	Marine / Shipping	other	Environment
Miscellaneous		Miscellaneous	Confirmation
		Confirmation	Environmental Confirmations

Дополнительная информация

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8PQ2015-8BA03>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8PQ2015-8BA03>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2015-8BA03

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

последнее изменение:

23.06.2022 

