



SENTRON, держатель цилиндрических предохранителей, 14x51 мм, 3-пол.,
In: 50 A, Un AC: 690 В

версия		
торговая марка изделия	SENTRON	
наименование изделия	Держатель цилиндрических предохранителей	
Общие технические данные		
число полюсов	3	
типоразмер плавких вставок предохранителей	14 x 51 мм	
напряжение питания		
рабочее напряжение	690 V	
• при переменном токе расчетное значение		
степень защиты IP	IP20	
Механическая конструкция		
высота	90 mm	
ширина	81 mm	
глубина	70 mm	
масса нетто	306 g	
Сертификаты		
справочный идентификатор согласно МЭК 81346-2:2009	F	
General Product Approval	Declaration of Conformity	Test Certificates

[Confirmation](#)



[Miscellaneous](#)

other

[Miscellaneous](#)

[Confirmation](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mfb=3NW7131>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/3NW7131>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3NW7131


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





последнее изменение:

10.02.2022 

