



SIVACON S4, монтажная панель 3KL61 до 630 A, 3 или 4-пол., В: 550 мм, Ш: 600 мм

версия	
торговая марка изделия	SIVACON S4
исполнение изделия	3KL61
исполнение поверхности	оцинкованный
появление	
цветовой код RAL	прочее
цвет	прочие
Подробнее	
компонент изделия верхняя панель	Нет
Механическая конструкция	
высота	550 mm
ширина	600 mm
глубина	400 mm
длина	600 mm
толщина материала металлического листа	2 mm
масса нетто	6 kg
материал	металл
<b>General Product Approval</b>	
<b>Declaration of Conformity</b>	

[Confirmation](#)



[Miscellaneous](#)



Declaration of Conformity	Marine / Shipping	other	Environment
<p>EG-Konf.</p>			

[Miscellaneous](#)

[Miscellaneous](#)

[Confirmation](#)

[Environmental Confirmations](#)

### Дополнительная информация

Siemens has decided to exit the Russian market (see here).  
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mfb=8PQ6000-2BA50>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/ru/ps/8PQ6000-2BA50>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mfb=8PQ6000-2BA50](http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=8PQ6000-2BA50)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

---

последнее изменение:

21.01.2023 

