



шинный адаптер S2, 80 А, коротк. AWG4 25 мм², 150 мм, 150° длина 200 мм, ширина 54 мм

версия	
торговая марка изделия	SENTRON
наименование изделия	Адаптер устройства
исполнение изделия	Принадлежности
число монтажных реек	1
СВЯЗИ	
исполнение электрического соединения	25 мм², AWG 4
Механическая конструкция	
высота	200 mm
ширина адаптера	55 mm
глубина	63 mm
толщина шинпровода	
• мин.	5 mm
• макс.	10 mm
расстояние между центрами шин	60 mm
масса нетто	508 g
General Product Approval	
Declaration of Conformity	

[Confirmation](#)



Declaration of Conformity	Test Certificates	Marine / Shipping			
---------------------------	-------------------	-------------------	--	--	--



EG-Konf.

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

[Special Test Certificate](#)



ABS



BUREAU VERITAS

Marine / Shipping	other				
-------------------	-------	--	--	--	--



DNV



LRS



PRS



RINA

[Confirmation](#)

[Miscellaneous](#)

Railway	Environment				
---------	-------------	--	--	--	--

Дополнительная информация

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8US1261-5MS13>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8US1261-5MS13>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1261-5MS13

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



последнее изменение:

22.07.2022

