


штырьковая сборная шина, разрезная, 18 мм², 3-фазн., 1016 мм, согласно UL 489, 480/277 В для LS 5SJ4 ...- HG



версия	
торговая марка изделия	SENTRON
наименование изделия	штырьковая сборная шина
исполнение изделия	обрезн.
Общие технические данные	
число фаз	3
Главная цель	
рабочий ток расчетное значение	80 A
Подробнее	
характеристика изделия электрически изолированный	Да
связи	
исполнение электрического соединения	штырь
Механическая конструкция	
ширина	60 mm
длина	1 010 mm
масса нетто	1 049,98 g
General Product Approval	
Declaration of Conformity	

[Confirmation](#)



[Miscellaneous](#)



EG-Konf.

other

Environment

[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-
firmations](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=5ST3710-3HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.industry.siemens.com/cs/ww/ru/ps/5ST3710-3HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3710-3HG


CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





последнее изменение:

25.06.2022 

