



SIVACON S4, задняя стенка, IP55, Ш: 1000 мм

версия		
торговая марка изделия	SIVACON	
наименование изделия	Задняя стенка	
исполнение поверхности	с поверхностным напылением	
исполнение изделия исполнение защиты от электромагнитных помех	Нет	
класс защиты		
степень защиты IP	IP55	
появление		
цветовой код RAL	sonstige	
цвет	RAL 7035	
Подробнее		
компонент изделия		
<ul style="list-style-type: none"> кабельный ввод замок 	<p>Нет</p> <p>Нет</p>	
Механическая конструкция		
высота	2 000 mm	
ширина	1 000 mm	
глубина	25 mm	
масса нетто	25,4 kg	
материал	стальной лист	
General Product Approval		Declaration of Conformity

[Confirmation](#)



[Miscellaneous](#)



[Miscellaneous](#)

Declaration of Conformity



Marine / Shipping



other



[Miscellaneous](#)

[Confirmation](#)

Environment

[Environmental Confirmations](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an

EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8PQ2420-1BA01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8PQ2420-1BA01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2420-1BA01

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

последнее изменение:

10.05.2023 

