


крышка для проходных клемм с винтовыми/ пружинными клеммами 3 точки подключения, сечение: 2,5 мм², ширина: 2,2 мм, цвет: серый



| версия | | |
|--|---------------------------|-------|
| торговая марка изделия | ALPHA | |
| наименование изделия | Наборные клеммы ALPHA FIX | |
| исполнение изделия | крышка | |
| класс защиты | | |
| класс пожаростойкости согласно UL 94 | V0 | |
| появление | | |
| цвет | серый | |
| принадлежности | | |
| механические принадлежности торцовая пластина | Да | |
| механические принадлежности промежуточная панель | Нет | |
| Механическая конструкция | | |
| масса нетто | 2 g | |
| толщина материала | 2,2 mm | |
| General Product Approval | Declaration of Conformity | other |

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8WH9000-2HA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8WH9000-2HA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH9000-2HA00

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

