






контактный нож разъединителя, разм. 3 изолированный монт. выступ

версия	
торговая марка изделия	SENTRON
наименование изделия	Принадлежности NH
исполнение изделия	NH контактный нож разъединителя
типоразмер плавких вставок предохранителей	NH3
Главная цель	
рабочий ток расчетное значение	630 A
Механическая конструкция	
высота	150 mm
глубина	73 mm
масса нетто	304 g

General Product Approval	Declaration of Conformity	Test Certificates
<a href="#">Confirmation</a> 		 EG-Konf.
		<a href="#">Special Test Certificate</a> <a href="#">Type Test Certificates/Test Report</a>

other

[Miscellaneous](#)      [Confirmation](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).  
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.  
 Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

**Информация об упаковке**  
[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>


Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3NG1402>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/ru/ps/3NG1402>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NG1402](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NG1402)

CAX-Online-Generator  
<http://www.siemens.com/cax>

Tender specifications



последнее изменение:

10.02.2022 

