

SIVACON S4, панель-заглушка 3KL-, 3KA715, 3 или 4-пол., В: 450 мм, Ш: 600 мм

версия		
торговая марка изделия	SIVACON S4	
наименование изделия	панель-заглушка 3KL/3KA	
исполнение изделия	3KL715, 3KA715	
класс защиты		
степень защиты IP	IP30	
пригодность к использованию для наружного использования	Нет	
появление		
цвет	светло-серый	
характеристика изделия встраиваемая приточная/ вытяжная вентиляция	Нет	
Механическая конструкция		
высота	450 mm	
ширина	600 mm	
глубина	10 mm	
место монтажа	лицевая рамка	
масса нетто	1 890 g	
материал	стальной лист	
General Product Approval		Declaration of Conformity


[Confirmation](#)



[Miscellaneous](#)



[Miscellaneous](#)

Declaration of Conformity	Marine / Shipping	other	Environment
 		<p>Confirmation</p>	<p>Miscellaneous</p> <p>Environmental Confirmations</p>

Дополнительная информация

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8PQ2045-6BA02>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8PQ2045-6BA02>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2045-6BA02

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

последнее изменение:

23.06.2022 

