

шинный адаптер S00, S0, 32 A, AWG10, кабели 150°, 45 x 200 мм



версия	
торговая марка изделия	SENTRON
наименование изделия	Адаптер устройства
исполнение изделия	Принадлежности
число монтажных реек	1
Механическая конструкция	
высота	200 mm
ширина адаптера	45 mm
глубина	63 mm
толщина шинопровода	
• мин.	5 mm
• макс.	10 mm
расстояние между центрами шин	60 mm
масса нетто	330 g
General Product Approval	

Declaration of Conformity

[Confirmation](#)



Test Certificates	Marine / Shipping	other
-------------------	-------------------	-------

[Special Test Certificate](#)

[Miscellaneous](#)



[Confirmation](#)

other	Environment
-------	-------------

[Miscellaneous](#)

[Environmental Confirmations](#)

Дополнительная информация

Siemens has decided to exit the Russian market (see here).  
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

**Информация об упаковке**

[Информация об упаковке](#)

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8US1251-5NS10>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/ru/ps/8US1251-5NS10>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1251-5NS10](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1251-5NS10)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



8US1251-5NS10

последнее изменение:

22.07.2022

